



## MARYLAND Department of Health

### **Public Health Preparedness and Situational Awareness Report: #2020:15**

Reporting for the week ending 04/11/20 (MMWR Week #15)

**April 17th, 2020**

#### **CURRENT HOMELAND SECURITY THREAT LEVELS**


**National:** No Active Alerts  
**Maryland:** **FULL** (MEMA status)

### **SYNDROMIC SURVEILLANCE REPORTS**

**ESSENCE (Electronic Surveillance System for the Early Notification of Community-based Epidemics):** Graphical representation is provided for all syndromes (excluding the “Other” category; see Appendix 1) by Health and Medical Regions (See Appendix 2). Emergency department chief complaint data is presented as rates per 100,000 residents using data from the 2010 census. Electronic Surveillance System for the Early Notification of Community-Based Epidemics (ESSENCE). Baltimore, MD: Maryland Department of Health; 2019.

*(report continues on next page)*

## Gastrointestinal Syndrome




There were no Gastrointestinal Syndrome outbreaks reported this week.

Gastrointestinal Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	13.35	15.09	15.98	10.30	13.17
Median Rate*	13.31	14.87	15.46	10.22	13.07

*\* Per 100,000 Residents*

*(report continues on next page)*

## Respiratory Syndrome




There were ninety (90) Respiratory Syndrome outbreaks reported this week: one (1) outbreak of ILI in an Assisted Living Facility (Region 5), eighteen (18) outbreaks of ILI (COVID-19) in Assisted Living Facilities (Regions 3,5), three (3) outbreaks of ILI (COVID-19) in Correctional Facilities (Regions 3,4), one (1) outbreak of ILI (COVID-19) in a Dialysis Center (Region 3), one (1) outbreak of ILI (COVID-19) in a Substance Abuse Treatment Center (Region 3), ten (10) outbreaks of ILI (COVID-19) in Group Homes (Regions 1&2,3,5), five (5) outbreaks of ILI (COVID-19) in Hospitals (Region 3,5), fifty (50) outbreaks of ILI (COVID-19) in Nursing Homes (Regions 1&2,3,4,5), one (1) outbreak of ILI (COVID-19) in a Hospice (Region 3).

Respiratory Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	12.71	14.97	15.32	10.13	12.95
Median Rate*	12.30	14.36	14.57	9.69	12.42

\* Per 100,000 Residents

*(report continues on next page)*

## Fever Syndrome




There were no Fever Syndrome outbreaks reported this week.

Fever Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	3.12	3.95	4.18	3.08	3.56
Median Rate*	3.02	3.82	3.97	2.97	3.43

*\*Per 100,000 Residents*

*(report continues on next page)*

## Localized Lesion Syndrome




There were no Localized Lesion Syndrome outbreaks reported this week.

Localized Lesion Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	1.17	1.76	2.02	0.89	1.40
Median Rate*	1.01	1.68	1.99	0.87	1.34

\* Per 100,000 Residents

*(report continues on next page)*

## Rash Syndrome




There was no Rash Syndrome outbreak reported this week.

Rash Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	1.24	1.65	1.74	0.96	1.36
Median Rate*	1.21	1.57	1.55	0.92	1.31

\* Per 100,000 Residents

*(report continues on next page)*

## Neurological Syndrome




There were no Neurological Syndrome outbreaks reported this week.

Neurological Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	0.81	0.98	0.90	0.63	0.83
Median Rate*	0.81	0.91	0.88	0.57	0.75

\* Per 100,000 Residents

*(report continues on next page)*

## Severe Illness or Death Syndrome



There were no Severe Illness or Death Syndrome outbreaks reported this week.

Severe Illness or Death Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	0.66	0.89	0.84	0.53	0.73
Median Rate*	0.60	0.84	0.88	0.48	0.70


\* Per 100,000 Residents

*(report continues on next page)*



## **SYNDROMES RELATED TO CATEGORY A AGENTS**

### **Botulism-like Syndrome**




There was an appreciable increase above baseline in the rate of ED visits for Botulism-like Syndrome on, 3/31 (Region 5), 4/1 (Region 5), 4/2 (Regions 1&2,4), 4/3 (Region 5), 4/7 (Region 4), 4/8 (Region 5), 4/9 (Regions 1&2,4), 4/11 (Region 4). These increases are not known to be associated with any outbreaks.

Botulism-like Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	0.08	0.13	0.06	0.08	0.10
Median Rate*	0.00	0.11	0.00	0.04	0.08

\* Per 100,000 Residents

*(report continues on next page)*

## Hemorrhagic Illness Syndrome




There was an appreciable increase above baseline in the rate of ED visits for Hemorrhagic Illness Syndrome on, 3/29 (Regions 4,5), 3/30 (Regions 3,5), 3/31 (Region 3), 4/2 (Regions 1&2,5), 4/3 (Region 4), 4/4 (Region 5), 4/6 (Region 5), 4/7 (Region 5), 4/9 (Regions 1&2), 4/10 (Regions 4/5), 4/11 (Region 5). These increases are not known to be associated with any outbreaks.

Hemorrhagic Illness Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	0.05	0.17	0.04	0.15	0.14
Median Rate*	0.00	0.11	0.00	0.09	0.10

\* Per 100,000 Residents

*(report continues on next page)*

## Lymphadenitis Syndrome



There was an appreciable increase above baseline in the rate of ED visits for Lymphadenitis Syndrome on, 4/4 (Region 4), 4/11 (Region 4). These increases are not known to be associated with any outbreaks.

Lymphadenitis Syndrome Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	0.39	0.61	0.41	0.39	0.49
Median Rate*	0.40	0.55	0.44	0.35	0.45

\* Per 100,000 Residents

(report continues on next page)

## **MARYLAND REPORTABLE DISEASE SURVEILLANCE**

### **Coronavirus Disease 2019 (COVID-19) Situation Summary**

On March 5<sup>th</sup>, 2020, the Maryland Department of Health announced the first cases of coronavirus disease 2019 (abbreviated COVID-19) in the State of Maryland.

#### **Confirmed COVID-19 Case Counts in Maryland by County (As of April 17th, 2020)**

<b>County</b>	<b>Number of Confirmed Cases</b>
Allegany	26
Anne Arundel	966
Baltimore City	1,273
Baltimore County	1,569
Calvert	109
Caroline	28
Carroll	288
Cecil	127
Charles	337
Dorchester	20
Frederick	525
Garrett	4
Harford	176
Howard	475
Kent	14
Montgomery	2,280
Prince George's	2,966
Queen Anne's	19
Somerset	9
St. Mary's	100
Talbot	14
Washington	116
Wicomico	103
Worcester	28
<b>Total</b>	<b>11,572</b>


The most up-to-date information may be found on the Maryland Department of Health website at <https://coronavirus.maryland.gov>.

*(report continues on next page)*

## **SYNDROMIC INFLUENZA SURVEILLANCE**

Seasonal Influenza reporting occurs from MMWR Week 40 through MMWR Week 20 (October 2019 through May 2020). Seasonal Influenza activity for Week 15 was: High Activity and Widespread Geographic Activity.

### **Influenza-like Illness**




Influenza-like Illness Baseline Data Week 1 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	10.67	14.44	13.74	12.16	13.20
Median Rate*	7.86	10.63	9.72	9.02	9.71

\* Per 100,000 Residents

*(report continues on next page)*


## Influenza-like Illness Contacts by Week



**Disclaimer on eMEDS flu related data:** These data are based on EMS Pre-hospital care reports where the EMS provider has selected “flu like illness” as a primary or secondary impression of a patient’s illness. This impression is solely based on the signs and symptoms seen by the provider, not on any diagnostic tests. Since these numbers do not include all primary or secondary impressions that may be seen with influenza the actual numbers may be low. These data are reported for trending purposes only.

*(report continues on next page)*

## Over-the-Counter Influenza-Related Medication Sales




There was no appreciable increase above baseline in the rate of OTC Medication Sales during this reporting period.

OTC Medication Sales Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	3.42	4.37	2.66	7.77	5.46
Median Rate*	2.72	3.47	2.21	7.03	4.72

\* Per 100,000 Residents

(report continues on next page)

## Over-the-Counter Thermometer Sales



There was no appreciable increase above baseline in the rate of OTC Thermometer Sales during this reporting period.

Thermometer Sales Baseline Data January 1, 2010 - Present					
Health Region	1&2	3	4	5	Maryland
Mean Rate*	2.86	2.71	2.18	3.60	3.02
Median Rate*	2.62	2.63	1.99	3.54	3.00

\* Per 100,000 Residents

(report continues on next page)




## **SYNDROMIC OVERDOSE SURVEILLANCE**

The purpose of this section is to characterize non-fatal ED visit trends for acute unintentional overdose by Heroin, Opioid or Unspecified substance among Maryland residents captured by ESSENCE data, including chief complaint and discharge diagnosis. ED visits that are identified as unintentional overdose by Heroin, Opioid or Unspecified substance include those with medical and non-medical use of a prescription Opioid or where the substance is not specified, given evidence that most fatal overdoses are Opioid-related.

In preparation for the release of new ESSENCE queries for identifying heroin, opioid and all drug overdoses, please note that we have removed the data chart showing unintentional overdose rates by heroin, opioid, or unspecified substances. These new data, when available, will be presented below.

*(report continues on next page)*


## Naloxone Administration Data by Week



**Disclaimer on eMEDS naloxone administration related data:** These data are based on EMS Pre-hospital care reports where the EMS provider has documented that they administered naloxone. The administration of naloxone is based on the patient's signs and symptoms and not on any diagnostic tests. These data are reported for trending purposes only.

*(report continues on next page)*

## Naloxone Administration Data



**Disclaimer on eMEDS Naloxone administration related data:** These data are based on EMS Pre-hospital care reports where the EMS provider has documented that they administered naloxone. The administration of naloxone is based on the patient's signs and symptoms and not on any diagnostic tests. These data are reported for trending purposes only.

*(report continues on next page)*

## **PANDEMIC INFLUENZA UPDATE / AVIAN INFLUENZA-RELATED REPORTS**

**WHO update:** The current WHO phase of pandemic alert for avian influenza is ALERT. Currently, the avian influenza H5N1 virus continues to circulate in poultry in some countries, especially in Asia and northeast Africa. This virus continues to cause sporadic human infections with some instances of limited human-to-human transmission among very close contacts. There has been no sustained human-to-human or community-level transmission identified thus far.

Influenza A (H7N9) is one of a subgroup of influenza viruses that normally circulate among birds. Until recently, this virus had not been seen in people. However, human infections have now been detected. Presently, there is limited information about the scope of the disease the virus causes and about the source of exposure. The disease is of concern because most patients have been severely ill. There is no indication thus far that it can be transmitted between people, but both animal-to-human and human-to-human routes of transmission are being actively investigated.

**Alert phase:** This is the phase when influenza caused by a new subtype has been identified in humans. Increased vigilance and careful risk assessment, at local, national, and global levels are characteristic of this phase. If the risk assessments indicate that the new virus is not developing into a pandemic strain, a de-escalation of activities towards those in the interpandemic phase may occur. As of April 16th, 2020, the WHO-confirmed global total (2003-2020) of human cases of H5N1 avian influenza virus infection stands at 861, of which 455 have been fatal. Thus, the case fatality rate for human H5N1 is approximately 53%.

## **AVIAN INFLUENZA**

**AVIAN INFLUENZA (SOUTH CAROLINA)**, 10 April 2020, Highly pathogenic avian influenza (HPAI) H7N3 was confirmed on one commercial meat-type turkey premises in Chesterfield County, South Carolina. Read More: <https://promedmail.org/promed-post/?id=7209089>

## **HUMAN AVIAN INFLUENZA**

*There were no relevant human avian influenza reports this week*

## **NATIONAL DISEASE REPORTS**

**HEARTLAND VIRUS (USA)**, 13 April 2020, Heartland virus (HRTV) was 1st described as a human pathogen in 2012. From 2013-2017, CDC implemented a national protocol to evaluate patients for HRTV disease, better define its geographic distribution, epidemiology and clinical characteristics, and develop diagnostic assays for this novel virus. Read More:

<https://promedmail.org/promed-post/?id=7221079>

**RABIES (MULTISTATE)**, 12 April 2020, The Oneida County Health Department is urging residents to know how to recognize the signs of rabies after a raccoon in the town of Sangerfield tested positive for rabies on 18 Mar [2020]. Read More: <https://promedmail.org/promed-post/?id=7213951>

**HEPATITIS C (MULTISTATE)**, 11 April 2020, Hepatitis C virus (HCV) infection is a major source of morbidity and mortality in the United States. HCV is transmitted primarily through parenteral exposures to infectious blood or body fluids that contain blood, most commonly through injection drug use. Read More: <https://promedmail.org/promed-post/?id=7213615>

**E. COLI EHEC (MULTISTATE)**, 10 April 2020, A spate of foodborne illnesses in leafy greens and other produce in recent years has sickened consumers and disrupted growers and supply chains. Read More: <https://promedmail.org/promed-post/?id=7209076>

## **INTERNATIONAL DISEASE REPORTS**

**CORONAVIRUS DISEASE 2019 (COVID-19) UPDATES (GLOBAL)**, 16 April 2020, China: National Health Commission 15 Apr 2020; 82 295 total cases, 3342 deaths  
South Korea: 10 613 total cases, 229 deaths, Italy: 165 155 total cases, 21 645 deaths, Iran: 74 877 total cases, 4683 deaths, USA: 644 089 cases 28 529 deaths, Spain: 177 633 total cases, 18 579 deaths. Read More: <https://promedmail.org/promed-post/?id=7228979>

## **OTHER RESOURCES AND ARTICLES OF INTEREST**

More information concerning Public Health and Emergency Preparedness can be found at the Office of Preparedness and Response website: <http://preparedness.health.maryland.gov/> or follow us on Facebook at [www.facebook.com/MarylandOPR](http://www.facebook.com/MarylandOPR).

More data and information on influenza can be found on the MDH website:  
<http://phpa.health.maryland.gov/influenza/fluwatch/Pages/Home.aspx>

Please participate in the Maryland Resident Influenza Tracking System (MRITS):  
<http://flusurvey.health.maryland.gov>

\*\*\*\*\*

**NOTE:** This weekly review is a compilation of data from various surveillance systems, interpreted with a focus on a potential BT event. It is not meant to be inclusive of all epidemiology data available, nor is it meant to imply that every activity reported is a definitive BT event. International reports of outbreaks due to organisms on the CDC Critical Biological Agent list will also be reported. While not "secure", please handle this information in a professional manner. Please feel free to distribute within your organization, as you feel appropriate, to other professional staff involved in emergency preparedness and infection control.

For questions about the content of this review or if you have received this and do not wish to receive these weekly notices, please e-mail us. If you have information that is pertinent to this notification process, please send it to us to be included in the routine report.

### **Prepared By:**

Office of Preparedness and Response, Maryland Department of Health  
300 W. Preston Street, Suite 202, Baltimore, MD 21201  
Fax: 410-333-5000

Peter Fotang, MD, MPH  
Epidemiologist, Biosurveillance Program  
Office: 410-767-8438  
Email: [Peter.Fotang@maryland.gov](mailto:Peter.Fotang@maryland.gov)

Jennifer Stanley, MPH  
Epidemiologist, Biosurveillance Program  
Office: 410-767-2074  
Email: [Jennifer.Stanley@Maryland.gov](mailto:Jennifer.Stanley@Maryland.gov)

Jessica Acharya (Goodell), MPH  
Career Epidemiology Field Officer, CDC  
Office: 410-767-6745  
Email: [Jessica.Goodell@maryland.gov](mailto:Jessica.Goodell@maryland.gov)

## Appendix 1: ESSENCE Syndrome Definitions and Associated Category A Conditions

Syndrome	ESSENCE Definition	Category A Conditions
Botulism-like	(Botulism or (DifficultyFocusing and DifficultySpeaking) or (DifficultySpeaking and DifficultySwallowing) or (DifficultySwallowing and DifficultyFocusing) or DoubleVision or FacialParalysis or GuillainBarre or Ptosis) and not GeneralExclusions	Botulism
Fever	(Chills or (FeverPlus and (Drowsiness or Seizure)) or FeverOnly or SepsisGroup or ViralSyndrome) and not GeneralExclusions	N/A
Gastrointestinal	(AbdominalCramps or AbdominalPainGroup or Diarrhea or FoodPoisoning or Gastroenteritis or GIBleeding or Peritonitis or Vomiting) and not (GeneralExclusions or Gynecological or Obstetric or Reproductive or UrinaryTract)	Anthrax (gastrointestinal)
Hemorrhagic Illness	(FeverOrChills and (AcuteBloodAbnormalitiesGroup or BleedingFromMouth or BleedingGums or GIBleeding or Hematemesis or Hemoptysis or Nosebleed or Petechiae or Purpura)) and not GeneralExclusions	Viral Hemorrhagic Fever
Localized Lesion	(Boils or Bump or Carbuncle or DepressedUlcer or Eschar or Furuncle or InsectBite or SkinAbscess or (SkinSores and not AllOverBody) or SkinUlcer or SpiderBite) and not (GeneralExclusions or Decubitus or Diabetes or StasisUlcer)	Anthrax (cutaneous) Tularemia
Lymphadenitis	(BloodPoisoning or Bubo or CatScratchDisease or SwollenGlands) and not GeneralExclusions	Plague (bubonic)
Neurological	(([Age<75] and AlteredMentalStatus) or (FeverPlus and (Confusion or Drowsiness or Petechiae or StiffNeck)) or Delirium or Encephalitis or Meningitis or UnconsciousGroup) and not GeneralExclusions	N/A
Rash	(ChickenPox or Measles or RashGeneral or Roseola or (Rubella and not Pregnancy) or Shingles or (SkinSores and AllOverBody) or Smallpox) and not GeneralExclusions	Smallpox
Respiratory	(Anthrax or Bronchitis or (ChestPain and [Age<50]) or Cough or Croup or DifficultyBreathing or Hemothorax or Hypoxia or Influenza or Legionnaires or LowerRespiratoryInfection or Pleurisy or Pneumonia or RespiratoryDistress or RespiratoryFailure or RespiratorySyncytialVirus or RibPain or ShortnessOfBreath or Wheezing) and not (GeneralExclusions or Cardiac or (ChestPain and Musculoskeletal) or Hyperventilation or Pneumothorax)	Anthrax (inhalational) Tularemia Plague (pneumonic)
Severe Illness or Death	CardiacArrest or CodeGroup or DeathGroup or (Hypotension and FeverPlus) or RespiratoryArrest or SepsisGroup or Shock	N/A

## Appendix 2: Maryland Health and Medical Region Definitions

Health and Medical Region	Counties Reporting to ESSENCE
Regions 1 & 2	Allegany County Frederick County Garrett County Washington County
Region 3	Anne Arundel County Baltimore City Baltimore County Carroll County Harford County Howard County
Region 4	Caroline County Cecil County Dorchester County Kent County Queen Anne's County Somerset County Talbot County Wicomico County Worcester County
Region 5	Calvert County Charles County Montgomery County Prince George's County St. Mary's County

